



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



# 6200

## COMPACT BATTERY-POWERED RIDE-ON SWEEPER

- Effectively capture dust and debris with efficient, one-pass sweeping
- 360-degree sight lines and superior maneuverability with easy operation
- Reduce maintenance and repair costs with reliable Tennant parts and engineering

## THE EXPERTLY-DESIGNED 6200 SWEEPER OFFERS EFFORTLESS OPERATION AND INCREASED PRODUCTIVITY



### EXCELLENT SWEEPING AND DUST CONTROL

The 6200's AutoAdjust™ design matches the brush height to brush wear for consistent sweeping of light debris and dust in one pass. The 2-stage filtration system also helps control airborne dust down to 3 microns.

### WORRY-FREE DURABILITY


The 6200 has a solid steel frame, hydraulic oil system and no-tool brush changes, increasing the machine's reliability and uptime.

### EASY OPERATION INCREASES PRODUCTIVITY

With excellent sight lines and easy to use controls, the compact 6200 allows operators to maneuver with confidence. The multi-level dump hopper can be emptied directly into containers up to 1.37 m eliminating manual lifting and helping keep operators safe.

INSIDE THE

# 6200



## MUST-HAVE OPTIONS

### Extend cleaning reach

Access hard to reach areas with the optional, instantly activated vacuum wand or choose the QuickMop® dry-mop attachment for a wider cleaning path.

### Clean hard and soft floors

Choose the carpet-care package and use the 6200 to clean a variety of surfaces including concrete, tile, carpet and more.

### Increase productivity

Dual side brushes expand the machine's sweeping reach to clean more floor space in less time.

**A** Protect fixtures and equipment as well as your machine with the rear bumper and corner rollers.

**B** Maintain maximum cleaning power with the patented AutoAdjust™ brush cavity that automatically adjusts as bristles shorten.

**C** Thermo-Sentry™ monitors the hopper temperature and in dangerously high temperatures, initiates vacuum shutdown.

**D** Effectively capture different types of debris with a four-sided, front-loading hopper system that can adjust to the type of debris.

**E** Conveniently empty the hopper directly into containers up to 1.37 m.

**F** VCS® filter-shaking system effectively contains dust and keeps the filter pleats free from blocking.



## OPTIMISE YOUR CLEANING PERFORMANCE WITH TENNANT *TRUE*<sup>®</sup>

Maximise the uptime and life of your Tennant equipment with Tennant *True*<sup>®</sup> parts and service. Tennant *True*<sup>®</sup> parts are designed to improve productivity, performance and durability.

## 6200 COMPACT, BATTERY-POWERED RIDE-ON SWEEPER

### SWEEPING SYSTEM

Cleaning path	
Single side brush	1,070 mm
Dual side brush	1,400 mm

### BRUSH DRIVE SYSTEM

Main brush length	710 mm
Brush drive	Belt
Side brush diameter	520 mm
Debris hopper	
Volume capacity	125 L
Weight capacity	136 kg
Dump height (variable to)	1.37 m

### POWER SYSTEM

Battery type	235 AH
--------------	--------

### PROPELLING SYSTEM

Propelling motor	560 W
Propel speed forward (variable to)	9 km/h
Propel speed reverse (variable to)	4.8 km/h
Gradeability	
Full hopper	6° / 11 %
Empty hopper	10° / 18 %

### DUST CONTROL SYSTEM

Filter area (dual stage, to 3 microns)	4.6 m <sup>2</sup>
Vacuum fan speed	4,300 rpm
Vacuum fan diameter	229 mm

### MACHINE SPECIFICATIONS

Length	1,960 mm
Width	1,050 mm
With one side brush	1,230 mm
With two side brushes	1,420 mm
Height	1,440 mm
Weight (net)	746 kg
Weight (with 235 AH battery package)	923 kg
Minimum aisle turn	2,095 mm
Sound level	77 dBA

### WARRANTY

See your local representative for warranty information.

\*Specifications subject to change without notice.

## SEEING IS BELIEVING

For a demonstration or additional information,  
send an email to [contactus@tennantco.com](mailto:contactus@tennantco.com)

Tennant Australia

Toll Free: 1800 226 843  
Ph: +61 2 8718 9718

[www.tennantco.com.au](http://www.tennantco.com.au)  
[contactus@tennantco.com](mailto:contactus@tennantco.com)

Tennant New Zealand

Ph: +64 9 253 9013

[www.tennantco.co.nz](http://www.tennantco.co.nz)  
[contactus@tennantco.com](mailto:contactus@tennantco.com)